

Cavendish Hardware

**Unit 8 Tithe St
Leicester
LE5 4BN**

**Tel: 0116 2742195 Fax: 0116 2461545
sales@cavendish-hardware.co.uk**



**HARDWARE
For Steel & Aluminium
Windows and Doors**


**Smith
Wallis**

For almost ninety years, the name Smith Wallis has been synonymous with quality fittings for steel windows and doors.

Established in Birmingham in the 1920's, it's original designs have proved timeless, and are used throughout the English speaking world.

In the early 1980's the company was acquired by the Cartwright Group who were in turn purchased by Newman Tonks in 1989.

The Smith Wallis business was merged into NT Worcester Parsons which in 1998 was acquired by BASTA, Ireland's leading manufacturer of locks and builders hardware, who renamed the company Basta Parsons Ltd.



Basta has been manufacturing locks and builders hardware for over 45 years.

Basta has reviewed the entire range, including development of a Multipoint system and improved the lead times in all areas of production.

Stringent quality control procedures, combined with modern manufacturing techniques ensure that the products are of a consistently high quality.

This brochure brings together the most comprehensive selection of products available to specifiers and manufacturers for standard and W20, W40 and Crittall sections.

Contents

| | |
|---------------------------------|-------|
| Casement Handles | 3-4 |
| Hookplates & Wedges..... | 5 |
| Duplex Casement Handles..... | 6 |
| Casement Stays | 7 |
| Stay Accessories | 8-9 |
| Sliding Stays | 10 |
| Window Catches..... | 11 |
| Plates & Keeps | 12 |
| Folding Openers | 13 |
| Restrictors | 14-15 |
| Friction Adjuster | 15 |
| Hinges | 16-17 |
| Bolts..... | 18 |
| Pivots/Accessories | 19 |
| Multipoint Locking System | 20 |

Finishes

| Abbreviation | Finish | Abbreviation | Finish | Abbreviation | Finish |
|--------------|-----------------|--------------|-----------------|--------------|-------------|
| SCP | Satin Chrome | SS | Stainless Steel | ANOSH | Anosheen |
| RTD | Roto Toned Dark | NAT | Natural | RMB | Rumbled |
| RB | Roto Bright | GALV | Galvinised | PV | PASSIVATED |
| BLK | Black | SHER | Sheradised | SC | Self Colour |
| WHT | White | DRP | Durapass | SBRS | Solid Brass |


Bespoke finishes are available upon request
Unless otherwise stated all dimensions are in mm

Z148 Casement Handle

Zinc diecast handle for standard steel windows. Fits to No. 990/9. Prefixed Steel Backplate by rear nut and lockwasher. Backplate supplied with pre-fixed rivets.

| Product codes | Finishes |
|----------------|---|
| Z014800000XXSC | SCP (Suitable for 'old style' Backplate*) |

- Please state right or left hand when ordering.
- Note: Backplate fixing aperture
- Back plates to be ordered separately
- A variety of wedges are available (see page 5)
- * Please note the old style backplate is not available for purchase



B158 Casement Handle

Hot forged brass handle. Fitted to No. 990/9 pre-fixed steel backplate by rear bolt and lockwasher.

| Product codes | Finishes |
|----------------|--------------|
| B015800000L1XX | RTD; SCP; RB |
| B015800000R1XX | |

- Please state right or left hand when ordering.
- A variety of wedges are available (see page 5)
- Back plates to be ordered separately



B158707 Casement Handle and B158707/COV Locking Casement Handle

Hot forged brass handle. Fitts to No. 990/9 pre-fixed steel backplate by rear bolt and lockwasher.

| Product codes | Finishes |
|-------------------|---|
| B015807070L1XX | RTD; SCP; RB |
| B015807070R1XX | |
| B01580707L1RD/COV | RTD Only - Available with colour matching lock barrel/COV |
| B01580707R1RD/COV | |

- Please state right or left hand when ordering.
- Back plates to be ordered separately
- A variety of wedges are available (see page 5)



B158G Key Locking Casement Handle

Hot forged brass handle featuring secure Grub Screw Locking mechanism. Supplied with key. Fits to 99/9 pre-fixed steel backplate by rear bolt and washer.

| Product codes | Finishes |
|----------------|--------------|
| B01580000GL1XX | RTD; SCP; RB |
| B01580000GR1XX | |

- Please state right or left hand when ordering.
- Back plates to be ordered separately
- A variety of wedges are available (see page 5)



B195/111 SPT Non Locking Casement Handle

Hot forged brass single point handle for open-in application.

| Product codes | Finishes |
|----------------|----------|
| B019501113L1XX | RTD; SCP |
| B019501113R1XX | |


- Please state right or left hand when ordering.
- Use No. 262 hook wedge (see page 5).

B195/111 Non Locking Casement Handle

Hot forged brass two point for open-out application.

| Product codes | Finishes |
|----------------|----------|
| BO19501114L1XX | RTD; SCP |
| BO19501114R1XX | |

- Please state right or left hand when ordering.
- A variety of wedges are available (see page 5)



A709/118, B709/118 and B709/118/COV Locking Casement Handles

Hot forged Aluminium or Brass key locking two point handle with zinc die cast lock barrel for open-out application.

| Product codes | Finishes |
|------------------|---|
| A070901182L8XX | Anosheen |
| A070901182R8XX | |
| B0709M118L2RD | RTD; SCP; RB |
| B0709M118R2RD | |
| B0709M118LISC | |
| B0709M118RISC | |
| B070901182RD/COV | RTD Only - Available with colour matching lock barrel/COV |
| B070901182RD/COV | |

- Please state right or left hand when ordering.
- A variety of wedges are available (see page 5)



S990/9 PF Backplate

Steel Backplate with pre-fixed rivets for use with No. 158/707 locking handle and B158 and Z148.

| Product codes |
|----------------|
| S09900009PF1NA |

- Pre fix 04.75 Rivets.



B650 Brass Wedge (W40)

| Product codes | Finishes |
|----------------|----------|
| B06500000001RU | RMB |



B558 Brass Wedge (SMW)

| Product codes | Finishes |
|----------------|----------|
| B05580000001NA | NAT |



B651 Brass Wedge (W20)

| Product codes | Finishes |
|----------------|----------|
| B06510000001RU | RMB |



B262 Brass Hook Wedge

For open in applications. Two sizes available: 18mm and 22mm (Dimension A). 2mm packer is available to provide both 20mm and 24mm extensions.

| Product codes | Finishes |
|------------------|----------|
| B02620018001XX | RTD; SCP |
| B02620022001XX | |
| B026202XX Packer | RTD; SCP |



TO SUIT M5 SCREW

N77/N 77T NYLON Wedge and N63

| Product codes | Finishes | A = |
|----------------|----------|-----|
| N007700000T1XX | BLK; WHT | 8.5 |
| N00770000001NB | BLK; WHT | 5.3 |



This wedge is only suitable for use with the A709 casement handle

Duplex Casement Handles

B195/111 K/4 Duplex Set

Hot forged brass single point duplex handle for open-in application.

| Product codes | Finishes |
|----------------|----------|
| B019501117RKXX | RTD; SCP |
| B019501117LKXX | |

- Please state right or left hand when ordering.
- Use No. 262 hook wedge.
- Use B646 Connecting Rods.




B195/111 K/5 Duplex Set

Hot forged brass two point duplex handle for open-out application.

| Product codes | Finishes |
|----------------|----------|
| B019501118RKXX | RTD; SCP |
| B019501118LKXX | |

- Please state right or left hand when ordering.
- A variety of wedges is available, see page 5
- Use B646 Connecting Rods.



B646 Connecting Rods

Brass rods, with brass connectors and ferrules to 'match'.

Measured between centres of handle and nose

| Product codes | Standard Sizes | Finishes | Please note: |
|----------------|-----------------|----------|--|
| B06460600121XX | 600mm x 12.5mm | RTD; SCP | Rods are pre drilled for K5 duplex. If used in K4 Duplex connecting holes will require widening. |
| B06460750121XX | 750mm x 12.5mm | | |
| B06460900121XX | 900mm x 12.5mm | | |
| B06461050121XX | 1050mm x 12.5mm | | |
| B06461200121XX | 1200mm x 12.5mm | | |

Z348 Pegstay

Zinc diecast pegstay for standard steel windows.

| Product codes | Finishes |
|----------------|----------|
| Z03480150002SC | SCP |
| Z03480210002SC | |

| DIM A | |
|-------|-----|
| 150 | 210 |

- Use with No. 321 series of steel pre-fixed accessories.




B375 Pegstay

Hot forged brass pegstay.

| Product codes | Finishes |
|----------------|--------------|
| B03750155001XX | RTD; RB; SCP |
| B03750200001XX | |

| DIM A | |
|-------|-----|
| 155 | 200 |

- See pages 8 and 9 for Stay Accessories.



B395 Pegstay

Hot forged brass pegstay.

| Product codes | Finishes |
|----------------|--------------|
| B03950150001XX | RTD; RB; SCP |
| B03950200001XX | |
| B03950250001XX | |
| B03950300001XX | |

| DIM A | | | |
|-------|-----|-----|-----|
| 150 | 200 | 250 | 300 |

- See page 8 and 9 for Stay Accessories.



S321/2 Side Hung Pin

| Product codes | Finishes |
|----------------|----------|
| S03210000201NA | NAT |



S321/4 Fixing Bracket

| Product codes | Finishes |
|----------------|----------|
| S03210000401NA | NAT |




S321/5 Top Hung Pin

| Product codes | Finishes |
|----------------|----------|
| S03210000501NA | NAT |



S321/6 Top Hung Rest

| Product codes | Finishes |
|----------------|----------|
| S03210000601NA | NAT |




B375S Side Hung Pin

| Product codes | Finishes |
|----------------|----------|
| B037500000S1XX | RTD; SCP |



B375 O/G Fixing Bracket

| Product codes | Finishes |
|----------------|----------|
| B03750000001XX | RTD; SCP |



B375P Top Hung Pin

| Product codes | Finishes |
|----------------|----------|
| B037500000P1XX | RTD; SCP |



B375R Top Hung Rest

| Product codes | Finishes |
|----------------|----------|
| B037500000R1XX | RTD; SCP |



B608 Top Hung 2 Hole Stay Rest

| Product codes | Finishes |
|----------------|----------|
| B06080000001XX | RTD; SCP |




B609 Side Hung 2 Hole Stay Pin

| Product codes | Finishes |
|----------------|----------|
| B06090000001XX | RTD; SCP |



B610 Top Hung Pin

| Product codes | Finishes |
|----------------|----------|
| B06100000001XX | RTD; SCP |



B626 i/g Fixing Bracket

| Product codes | Finishes |
|----------------|----------|
| B06260000002XX | RTD; SCP |



B626 o/g Fixing Bracket

| Product codes | Finishes |
|----------------|----------|
| B06260000001XX | RTD; SCP |



S58 Slide Stay

Twin bar slide stay for open-out standard steel windows. Bronze top bar - steel galvanised lower bar, zinc diecast box with brass thumb turn. Fixing brackets sheradized steel with countersunk holes: Thumb turn: brass.

| Product codes | Top Bar A | Bottom Bar B | Finishes |
|----------------|-----------|--------------|----------|
| S00580250001SH | 250 | 210 mm | SHER |
| S00580300002SH | 300 | 210 mm | |

B59 Slide Stay

Two-bar slide stay produced in brass. Standard fixing for outward opening windows (o/o) and for outside glazing conditions (o/g). Also available for opening in and l/G windows (subject to quantity).

| Product codes | Top Bar A | Bottom Bar B | Finishes |
|----------------|-----------|--------------|----------|
| B005902100N1xx | 210 | 180 mm | RTD; SCP |
| B005902600N1xx | 260 | 230 mm | |
| B005903100N1xx | 310 | 280 mm | |

B59 Spring Plunger Stay


Two-Bar spring plunger stay produced in Brass. The stay allows the window to be secured in a variety of positions and released using the spring plunger. Ensures window remains in the same position once opened and set. Standard fixing for outward opening windows (o/o) and for outside glazing conditions (o/g). Also available for opening in and l/G windows.

| Product codes | Finishes |
|----------------|----------|
| B005902100N2xx | RTD, SCP |
| B005902600N2xx | |
| B005903100N2xx | |

B572 D/B572 Concealed Friction Stay

Adjustable heavy duty friction stay with brass extruded channel and sheradized steel arm. 'D' version includes spring to reduce the effects of violent opening. Concealed mounting. N.B. Not suitable for door with extended/project hinges.

| Product codes | Dimensions A x B | Finishes |
|----------------|------------------|----------|
| B05720290D01NA | 290 mm x 315 mm | NAT |
| B05720255001NA | 255 mm x 190 mm | NAT |



B36 Spring Catch

Hot-forged brass spring-load catch for use on open-in application.

| Product codes | Finishes |
|----------------|----------|
| B00360000001XX | RTD, SCP |



Z41/36 CATCHPLATE

| Product codes | Finishes |
|----------------|----------|
| Z00410036001PV | PV; SCP |
| Z00410036001SC | |



A76 Pole Hook

Hot forged aluminium pole hook rivetted to aluminium tube. Suitable for all types of folding openers and ring type catches.

| Product codes | Finishes |
|----------------|----------|
| A00760000001AN | ANOSH |



S739 CATCHPLATE

| Product codes | Finishes |
|-----------------|----------|
| S0739000000S1SH | SHER |



Sash Hook

Length: 115mm, base diameter: 22mm

| Product codes | Finishes |
|---------------|----------|
| BJ430 | SBRS |



B816 Turn Button

Hot forged brass. Suitable for open in and open out windows. Available right and left hand. Please state when ordering.

| Product codes | Finishes |
|----------------|----------|
| B08160000NL1xx | RTD, SCP |
| B08160000NR1xx | |



A variety of wedges are available (see page 5)

A672 Fitch Catch

Hot-forged aluminium catch for vertical sliding windows. Right hand only.

| Product codes | Finishes |
|----------------|----------|
| A067200000R1AN | ANOSH |



S672 Vertical Fixing Fitch Catch Keep

| Product codes | Finishes |
|----------------|----------|
| S06720000001SS | SS |



G224T Inserted Fixing Fitch Catch Keep

| Product codes | Finishes |
|----------------|----------|
| S022400000T1SS | SS |



G168A Inserted Fixing Fitch Catch Keep

| Product codes | Finishes |
|----------------|----------|
| S01680000A01SS | SS |



B99S Single Folding Opener

This opener is a popular general purpose fitting and will fit readily on most steel or aluminum windows. When used on thick sections over 5mm it may be necessary to use packings to obtain the correct bracket position, as illustrated, to give the over-centre locking action. The lower bracket has elongated holes to allow for final adjustment.

| Product codes | Finishes |
|----------------|----------|
| B009900000S1XX | RTD; SCP |



B97S Single Folding Opener

As 99S but restricted to 100mm opening.


| Product codes | Finishes |
|----------------|----------|
| B009700000S1SC | RTD; SCP |



B99D Double Folding Opener


This double Opener is widely used as a general purpose double opener and is applicable to many sections both aluminium and steel. The fixing details for each unit are the same as for the No. B99S. Pole Rings can be fitted for long arm operation, but not necessary if the tube is within reach for hand operation.

| Product codes | Finishes |
|----------------|----------|
| B009900000D1XX | RTD; SCP |



B99 Link Tubes

The tubes supplied are 16mm in diameter and are made to suit openers fixed at the following centres:




As a general rule the openers should be fitted at centres greater than half the window width

| Product codes | 450mm | 600mm | 750mm | 900mm | Finish | With Ring |
|----------------|-------|-------|-------|-------|--------|-----------|
| B009904500D1RD | • | | | | RTD | |
| B009904500D1SC | • | | | | SCP | |
| B009904500R1SC | • | | | | SCP | • |
| B00990450RD1RD | • | | | | RTD | • |
| B009906000D1RD | | • | | | RTD | |
| B009906000D1SC | | • | | | SCP | |
| B00990600RD1RD | | • | | | RTD | • |
| B00990600RD1SC | | • | | | SCP | • |
| B009907500D1RD | | | • | | RTD | |
| B009907500D1SC | | | • | | SCP | |
| B00990750RD1RD | | | • | | RTD | • |
| B00990750RD1SC | | | • | | SCP | |
| B009909000D1RD | | | | • | RTD | |
| B009909000D1SC | | | | • | SCP | |
| B00990900RD1RD | | | | • | RTD | • |
| B00990900RD1SC | | | | • | SCP | • |

Z791 Restrictor Stop

Zinc diecast Satin chrome body with releaseable aluminium tongue. Socket head screw secures the tongue in closed position. For vertical sliding sash applications.

| Product codes | Finishes |
|----------------|----------|
| Z07910000002SC | SCP |



A791 Restrictor Stop

Aluminium body with releaseable aluminium tongue. Screw secures the tongue in closed position. For vertical sliding sash applications.

| Product codes | Finishes |
|----------------|----------|
| A07910000071LW | WHT (PC) |



Security Restrictor (Key Locking)

Lockable restrictor, top and side hung, horizontal and vertical pivots. Right or Left handed. Uses 4mm allen key. Material: Pressed Steel - with high performance plated finish.

| Product codes | Finishes |
|---------------|----------|
| 4463LH | DRP |
| 4463RH | DRP |



B571 Releaseable Side Arm

Concealed releaseable side arm. Available only in pairs.


| Product codes | Size | Finishes |
|----------------|-------|----------|
| B05710150B01NA | 150MM | SC |



S786/3 Locking Restrictor

A key locking restrictor for aluminium window. Released by means of a key and automatically relocks when closing a window. If friction stays are used on window then, No. 789 Keep is required. Packer required to give 786/1. Height (14,5mm).


| Product codes | | Finishes |
|-----------------|------------|----------|
| Z0786000003L1SC | Left Hand | SCP |
| Z0786000003R1SC | Right Hand | |
| Z078600000001SC | Key | |



MA 419 Magnum Restrictor Lockable

Lockable arm restrictor. Manufactured from 300 Austenetic Stainless Steel and brass slider.

| Product codes | Arm | Track | Finish |
|---------------|-------|--------|--------|
| MA419 | 6" | 7.25" | SS |
| MA419/08-10 | 8.00" | 10.00" | SS |



MA 419-17V Magnum Restrictor Lockable

Lockable arm restrictor for smaller windows. Manufactured from 300 Austenetic Stainless Steel and brass slider.

| Product codes | Arm | Track | Finish |
|---------------|------|-------|--------|
| MA419-17V | 5.5" | 5" | SS |



Friction Adjuster

Manufactured from 300 Austenetic Stainless Steel and brass slider.

| Product codes | Track "A" | Arm "B" | Finish |
|---------------|-----------|---------|--------|
| MA178 | 10" | 8" | SS |
| MA179 | 12" | 8" | SS |
| MA532/06-08 | 8" | 6" | SS |



Hinges: Magnum 2000/4000

Magnum

- Stainless Steel
- Full radius edges to prevent any arm-to-arm binding.
- Speed cap geometry allows hinges to be non-handed.
- Less hinge sizes for full vent range.
- Up to 81.8kg for top hung windows.



Magnum 4000 Series Side Hung Heavy duty 4 bar Hinges

Manufactured from 300 Austenetic Stainless Steel and brass slider.

| Product codes | Size | Min/Max Vent Width | Std. Degree Opening | Max Weight | Finish |
|---------------|-------|--------------------|---------------------|------------|--------|
| MA4010 | 254MM | 279.4 to 660.4 | 75° | 34.5kg | SS |
| MA4012 | 305MM | 508 to 838.2 | 20°/30°/40° w/stop | 52.0kg | SS |
| | | | 80° w/o stop | | |

Magnum 2000 Series Top Hung Heavy duty 4 bar Hinges

Manufactured from 300 Austenetic Stainless Steel and brass slider.

| Product codes | Size | Min/Max Vent Width | Opening Angle | Max Weight | Finish |
|---------------|-------|--------------------|---------------|------------|--------|
| MA210 | 254mm | 268 to 635mm | 75° | 38.6kg | SS |
| MA212 | 305mm | 508 to 762mm | 60° | 45.5kg | SS |
| MA216 | 406mm | 762 to 1016mm | 49° | 56.7kg | SS |
| MA220 | 508mm | 1016 to 1270mm | 49° | 72.6kg | SS |
| MA224 | 600mm | 1270 to 1524mm | 30° | 81.8kg | SS |

Non-handed "speed cap"



Large contact area and immediate "pull-in" of sash to prevent weather strip problems



Dual-sided containment of vent bar to prevent any sash play

B1260 Brass Hinge

Brass Butt Hinge for top hung and side hung applications. For windows and doors. Features security pins. **Shown on W20.**

| Product Codes | Description | Size | Finishes |
|----------------|---|-------|----------|
| B1260S075NA | 1 single hinge with security pin | 75mm | NA |
| B1260S075NA/WA | B1260 Brass NA Hinge with Security Pin + DPBW | 75mm | NA |
| B1260S075SC | B1260 Brass SCP Hinge with security pin | 75mm | SCP |
| B1260S100NA | 1 single 1260 hinge with security pin | 100mm | NA |
| B1260S100SC | B1260 Brass Hinge with security pin | 100mm | SCP |



S1261/B Steel Hinge

Pressed steel butt hinge for top hung and side hung applications. For windows and doors. **Shown on W20.**

| Product codes | Size | Finishes |
|-----------------|------|----------|
| S12610075001GA | 75mm | GALV |
| LS126100750B1GA | 75mm | GALV |



S1025 Steel Friction Hinge

Steel extended projection friction hinge for standard steel side hung windows. Direct weld to sections. Steel pin. Sold in pairs..

| Product codes | Finishes |
|----------------|----------|
| S102500000U1NA | NAT |



B543B Steel Hinge

Steel Hinge with brass pin for standard steel top hung windows. Long leaf with pre-fixed rivets. Short leaf for welding on. Complete with spare pear blank for 'S' type application.


| Product codes | Finishes |
|----------------|----------|
| B05430000BB1NA | NAT |



B528 Hinge

Brass hinge for top hung applications. Features security pin.

| Product codes | Finishes |
|---------------|----------|
| B0528S01XX | NA; SCP |



B532 Hinge

Brass 3" Butt Hinge for top hung and side hung application.

| Product codes | Finishes |
|---------------|----------|
| B05320075XX | NA; SCP |



S520 Corner Hinge

Steel weld on hinge with 7.9mm steel pin for W20 steel windows. Project weld legs. Unassembled only.


| Product codes | Finishes |
|---------------|----------|
| S0520000001NA | SC |



S1027 Friction Hinge

Steel Friction hinge with sheradized steel bolts for standard steel windows. Direct weld to sections. Sold in pairs.

| Product codes | Finishes |
|-----------------|----------|
| LS102700000U1NA | NAT |



B85C Lock Bolt (Concealed)

Inc Top Hat and Wedge. Fits inside the section for concealed mounting or for use with a face mounted open in door.

The Concealed bolt is supplied with two wedges - an adjustable concealed wedge for such applications and a Top Hat wedge for face mounting the bolt for an open in door.

Available in 3 different sizes and finishes.


| Product codes | Standard Sizes | Finishes |
|----------------|----------------|----------|
| B0085C15001RB | 150mm | RB |
| B0085C150001RD | 150mm | RTD |
| B0085C150001SC | 150mm | SCP |
| B0085C300001RB | 300mm | RB |
| B0085C300001RD | 300mm | RTD |
| B0085C300001SC | 300mm | SCP |
| B0085C450001RB | 450mm | RB |
| B0085C450001RD | 450mm | RTD |
| B0085C450001SC | 450mm | SCP |

B85F Lock Bolt Face Fix (Cranked)

The Flush bolt is supplied with a rubbing wedge for open out applications. The bolt has a Pull-Down knob. Available now in 3 different sizes and finishes.

| B85F Lock Bolt Face Fix (Cranked) | | |
|--------------------------------------|----------------|----------|
| Product codes | Standard Sizes | Finishes |
| B0085F15001RB | 150mm | RB |
| B0085F150001RD | 150mm | RTD |
| B0085F150001SC | 150mm | SCP |
| B0085F300001RB | 300mm | RB |
| B0085F300001RD | 300mm | RTD |
| B0085F300001SC | 300mm | SCP |
| B0085F450001RB | 450mm | RB |
| B0085F450001RD | 450mm | RTD |
| B0085F450001SC | 450mm | SCP |
| B85K Lock Bolt Face Fixed (Straight) | | |
| Product codes | Finishes | |
| B0085K15001xx | RB; RTD; SCP | |
| B0085K30001xx | | |
| B0085K45001xx | | |

This Bolt can be reversed to change from Locking to Non-Locking to suit




A unique key lockable all in one bolt for both locking or non locking applications

B4/2 Friction Pivot

Hot forged brass friction pivot. Clamp screw provides friction adjustment. Please state right or left hand when ordering.


| Product codes | Finishes |
|----------------|----------|
| B000400000L2NA | NAT |
| B000400000R2NA | NAT |



B6/2 Friction Pivot

Hot forged brass friction pivot complete with zinc diecast spacer. Clamp screw provides friction adjustment. Sold in pairs. Fittings for both w20 and w40 sections.

| Product codes | Finishes |
|----------------|----------|
| B000600000P2NA | NAT |



B10/4 Friction Pivot

Hot forged brass friction pivot. Clamp screw provides friction adjustment. Commonly used in 'F' section windows. Please state LH or RH when ordering.


| Product codes | Finishes |
|----------------|----------|
| B001000400L2NA | NAT |
| B001000400R2NA | NAT |



B805 Carriage Lock, Keep and Keys

Hot forged brass, face fixing lock with finger pull, incorporating 8mm square aperture to receive point of fireman's axe. Keep and key also hot forged brass. Lock available in left and right hand versions.

| Product codes | Description | Finishes |
|----------------|----------------------|----------|
| B080500000L1XX | 805 CARRIAGE LOCK LH | SCP; RTD |
| B080500000R1XX | 805 CARRIAGE LOCK RH | SCP; RTD |
| B08050000002XX | 805 KEY | SCP; RTD |
| B08050000003XX | 805 KEEP | SCP; RTD |




Multipoint Locking System


High security key lockable multipoint system. Awarded Secured By Design (SBD) status on W40 system. Features a night vent system for secure ventilation. A choice of two handle designs:

Customer Notes:


- Order Left hand or Right hand handle
- Handles, rails, keeps and extension pieces to be ordered separately
- Two extension pieces required per rail
- Number of keeps required depends on rail size (see table). One keep/stud.
- Rails and extension pieces available with extended studs (12mm).
- Centre Rail in conjunction with Extension Piece allows for window size as shown. For example: Window size of 1250 would require centre rail SWMPC1006.



| Product codes | Description | Size | Finish |
|---------------|--|--|-----------------------|
| MP2600LHxx | Cranked Handle LH | | SCP, RTD, WHT, BLK |
| MP2600RHxx | Cranked Handle RH | | |
| MP2700LHxx | Straight Handle LH | | |
| MP2700RHxx | Straight Handle RH | | |
| MPC0406 | 406mm, 0 stud, 2 retainers | For Windows 600-800mm | Plated |
| MPC0406/12 | 406mm, 0 stud, 2 retainers, 12mm stud | For Windows 600-800mm | |
| MPC0606 | 606mm, 2 stud, 4 retainers | For Windows 800-1000mm | |
| MPC0606/12 | 606mm, 2 stud, 4 retainers, 12mm stud | For Windows 800-1000mm | |
| MPC0806 | 806mm, 2 studs, 4 retainers | For Windows 1000-1200mm | |
| MPC0806/12 | 806mm, 2 studs, 4 retainers, 12mm stud | For Windows 1000-1200mm | |
| MPC1006 | 1006mm, 2 studs, 4 retainers | For Windows 1200-1400mm | |
| MPC1006/12 | 1006mm, 2 studs, 4 retainers, 12mm stud | For Windows 1200-1400mm | |
| MPC1206 | 1206mm, 2 studs, 4 retainers | For Windows 1400-1600mm | |
| MPC1206/12 | 1206mm, 2 studs, 4 retainers, 12mm stud | For Windows 1400-1600mm | |
| MPC1406 | 1406mm, 4 studs, 8 retainers | For Windows 1600-1800mm | |
| MPC1406/12 | 1406mm, 4 studs, 8 retainers, 12mm stud | For Windows 1600-1800mm | |
| MPC1606 | 1606mm, 4 studs, 8 retainers | For Windows 1800-2000mm | |
| MPC1606/12 | 1606mm, 4 studs, 8 retainers, 12mm stud | For Windows 1800-2000mm | |
| MPC1806 | 1806mm, 4 studs, 8 retainers | For Windows 2000-2200mm | |
| MPC1806/12 | 1806mm, 4 studs, 8 retainers, 12mm stud | For Windows 2000-2200mm | |
| MPC2006 | 2006mm, 6 studs, 12 retainers | For Windows 2200-2400mm | |
| MPC2006/12 | 2006mm, 6 studs, 12 retainers, 12mm stud | For Windows 2200-2400mm | |
| MPE0150 | 1 Stud/Ext | Suitable for all sizes. 2 required per rail. | |
| MPE0150/12 | 1 Stud/Ext, 12mm stud | | |
| SWMPK015 | Keeps die cast 1per Stud | Suitable for both 6mm and 12mm stud. | |



IN THE FRAME
For Parts
&
Accessories



Cavendish Hardware
Unit 8, Tithe Street, Leicester LE5 4BN
Tel: Leicester (0116) 274 2195 Fax: (0116) 246 1545
E.mail: sales@cavendish-hardware.co.uk